



iC 60

Fetal & Maternal
Monitor

iC 60

Fetal & Maternal Monitor



- Features:**
- 7 inches high resolution TFT color foldable screen ;
 - Basic parameters: FHR, TOCO, AFM, Event Mark, MHR, NIBP, MSPO2;
 - Build-in long life thermal printer;
 - DSP technology, real-time identify and measurement for FHR, accurate and reliable results;
 - High sensitive transducer for FHR detection;
 - 12 hours data storage, recall and printed;
 - Wide range of applying voltage (100-240V);
 - Lightweight, compact design for easy carry;
 - Optional Fetal Stimulator & Dual FHR monitoring.

Specification:

FHR

Ultrasound frequency: 1.0 MHz
 Ultrasound strength: <5mW/cm²
 FHR Range: 50-210 bpm
 Accuracy: ±2 bpm

TOCO

TOCO Range: 0-100 units
 Non-linear tolerance: <±10%

Auto Fetal Movement

Range: 0-100

Maternal SpO2

Measurement Range: 70%~100%
 Accuracy: ±3%

HR

Measurement Range: 30-240 bpm
 Accuracy: ±2 bpm
 Maternal NIBP
 Systolic pressure: 50-240mmHg
 Mean pressure: 15-180mmHg
 Diastolic pressure: 25-200mmHg

Power

AC: 100-240V, 50/60Hz
 DC: 8.4V rechargeable Li-ion battery

Dimension: 295mm×240mm×73mm(L×W×H)
 Net Weight: 1.75 Kg